
Schedule 3—High risk work licences and classes of high risk work

Regulation 81

1—Boom-type elevating work platform

For the purposes of table 3.1 item 21, the length of a boom is the greater of the following:

- (a) the vertical distance from the surface supporting the boom-type elevating work platform to the floor of the platform, with the platform extended to its maximum height;
- (b) the horizontal distance from the centre point of the boom's rotation to the outer edge of the platform, with the platform extended to its maximum distance.

Table 3.1

Item	High risk work licence	Description of class of high risk work
<i>Scaffolding work</i>		
1	Basic scaffolding	Scaffolding work involving any of the following: <ol style="list-style-type: none">(a) modular or pre-fabricated scaffolds;(b) cantilevered materials hoists with a maximum working load of 500 kilograms;(c) ropes;(d) gin wheels;(e) safety nets and static lines;(f) bracket scaffolds (tank and formwork), but excluding scaffolding work involving equipment, loads or tasks listed in item 2(2)(a) to (g) and item 3(2)(a) to (c)
2	Intermediate scaffolding	<ol style="list-style-type: none">(1) Scaffolding work included in the class of Basic scaffolding; and(2) Scaffolding work involving any of the following:<ol style="list-style-type: none">(a) cantilevered crane loading platforms;(b) cantilevered scaffolds;(c) spur scaffolds;(d) barrow ramps and sloping platforms;(e) scaffolding associated with perimeter safety screens and shutters;(f) mast climbing work platforms;(g) tube and coupler scaffolds (including tube and coupler covered ways and gantries),

Item	High risk work licence	Description of class of high risk work
		but excluding scaffolding work involving equipment, loads or tasks listed in item 3(2)(a) to (c)
3	Advanced scaffolding	(1) Scaffolding work included in the class of Intermediate scaffolding; and (2) Scaffolding work involving any of the following: <ul style="list-style-type: none"> (a) cantilevered hoists; (b) hung scaffolds, including scaffolds hung from tubes, wire ropes or chains; (c) suspended scaffolds
<i>Dogging and rigging work</i>		
4	Dogging	Dogging work
5	Basic rigging	(1) Dogging work (2) Rigging work involving any of the following: <ul style="list-style-type: none"> (a) structural steel erection; (b) hoists; (c) pre-cast concrete members of a structure; (d) safety nets and static lines; (e) mast climbing work platforms; (f) perimeter safety screens and shutters; (g) cantilevered crane loading platforms, but excluding rigging work involving equipment, loads or tasks listed in item 6(b) to (f) and item 7(b) to (e)
6	Intermediate rigging	Rigging work involving any of the following: <ul style="list-style-type: none"> (a) rigging work in the class Basic Rigging; (b) hoists with jibs and self-climbing hoists; (c) cranes, conveyors, dredges and excavators; (d) tilt slabs; (e) demolition of structures or plant; (f) dual lifts, but excluding rigging work involving equipment listed in item 7(b) to (e)
7	Advanced rigging	Rigging work involving any of the following: <ul style="list-style-type: none"> (a) rigging work in the class Intermediate Rigging; (b) gin poles and shear legs; (c) flying foxes and cable ways; (d) guyed derricks and structures; (e) suspended scaffolds and fabricated hung scaffolds

Item	High risk work licence	Description of class of high risk work
<i>Crane and hoist operation</i>		
8	Tower crane	Use of a tower crane
9	Self-erecting tower crane	Use of a self-erecting tower crane
10	Derrick crane	Use of a derrick crane
11	Portal boom crane	Use of a portal boom crane
12	Bridge and gantry crane	Use of a bridge crane or gantry crane that is— <ul style="list-style-type: none"> (a) controlled from a permanent cabin or control station on the crane; or (b) remotely controlled and having more than 3 powered operations, including the application of load estimation and slinging techniques to move a load
13	Vehicle loading crane	Use of a vehicle loading crane with a capacity of 10 metre tonnes or more, including the application of load estimation and slinging techniques to move a load
14	Non-slewing mobile crane	Use of a non-slewing mobile crane with a capacity exceeding 3 tonnes
15	Slewing mobile crane—with a capacity up to 20 tonnes	Use of a slewing mobile crane with a capacity of 20 tonnes or less Use of a vehicle loading crane with a capacity of 10 metre tonnes or more, excluding the application of load estimation and slinging techniques to move a load Use of a non-slewing mobile crane with a capacity exceeding 3 tonnes Use of a reach stacker
16	Slewing mobile crane—with a capacity up to 60 tonnes	Use of a slewing mobile crane with a capacity of 60 tonnes or less Use of a vehicle loading crane with a capacity of 10 metre tonnes or more, excluding the application of load estimation and slinging techniques to move a load Use of a non-slewing mobile crane with a capacity exceeding 3 tonnes Use of a reach stacker
17	Slewing mobile crane—with a capacity up to 100 tonnes	Use of a slewing mobile crane with a capacity of 100 tonnes or less Use of a vehicle loading crane with a capacity of 10 metre tonnes or more, excluding the application of load estimation and slinging techniques to move a load Use of a non-slewing mobile crane with a capacity exceeding 3 tonnes Use of a reach stacker
18	Slewing mobile crane—with a capacity over 100 tonnes	Use of a slewing mobile crane with a capacity exceeding 100 tonnes

Work Health and Safety Regulations 2012—1.1.2017
 Schedule 3—High risk work licences and classes of high risk work

Item	High risk work licence	Description of class of high risk work
		Use of a vehicle loading crane with a capacity of 10 metre tonnes or more, excluding the application of load estimation and slinging techniques to move a load
		Use of a non-slewing mobile crane with a capacity exceeding 3 tonnes
		Use of a reach stacker
19	Materials hoist	Use of a materials hoist
20	Personnel and materials hoist	Use of a personnel and materials hoist
		Use of a materials hoist
21	Boom-type elevating work platform	Use of a boom-type elevating work platform where the length of the boom is 11 metres or more
22	Concrete placing boom	Use of a concrete placing boom
Reach stackers		
23	Reach stacker	Operation of a reach stacker of greater than 3 tonnes capacity that incorporates an attachment for lifting, moving and travelling with a shipping container, but does not include a portainer crane
Forklift operation		
24	Forklift truck	Use of a forklift truck other than an order-picking forklift truck
25	Order-picking forklift truck	Use of an order-picking forklift truck
Pressure equipment operation		
26	Standard boiler operation	Operation of a boiler with a single fuel source that does not have a pre-heater, superheater or economiser attached
27	Advanced boiler operation	Operation of a boiler, including a standard boiler, which may have one or more of the following: <ol style="list-style-type: none"> (a) multiple fuel sources; (b) pre-heater; (c) superheater; (d) economiser
28	Steam turbine operation	Operation of a steam turbine that has an output of 500 kilowatts or more and— <ol style="list-style-type: none"> (a) is multi-wheeled; or (b) is capable of a speed greater than 3 600 revolutions per minute; or (c) has attached condensers; or (d) has a multi-staged heat exchange extraction process
29	Reciprocating steam engine	Operation of a reciprocating steam engine where the diameter of any piston exceeds 250 millimetres